

SAFETY DATA SHEET

Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

Section 1: Identification

Product name : Rely+On PeraSafe
Product code : 000000000057783905

Manufacturer or supplier's details

Supplier : LANXESS Deutschland GmbH
Production, Technology,
Safety & Environment
51369 Leverkusen, Germany

Responsible Department : +49 221 8885 2288
infosds@lanxess.com

Emergency telephone number : YLXS-YADD00000000196
For 24/7 multilingual emergency please call toll free
CHEMTREC New Zealand: 0800 425 459 and mention CCN
1001750.

Recommended use of the chemical and restrictions on use

Recommended use : Industrial
Professional
Disinfectants

Section 2: Hazard identification

GHS Classification

Self-reactive substances and mixtures : Self-react.E

Acute toxicity (Oral) : Acute Tox.4

Skin corrosion/irritation : 2

Serious eye damage/eye irritation : 1

GHS label elements

Hazard pictograms : 

Signal word : Danger

SAFETY DATA SHEET



Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

Hazard statements : H242 Heating may cause a fire.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P234 Keep only in original packaging.
P240 Ground and bond container and receiving equipment.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:
P403 Store in a well-ventilated place.
P411 Store at temperatures not exceeding 25 °C/ 77 °F.
P420 Store separately.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

SAFETY DATA SHEET

Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

Chemical name	CAS-No.	Concentration (% w/w)
disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4	>= 30 -< 50
citric acid	77-92-9	>= 10 -< 20
sodium carbonate	497-19-8	>= 1 -< 10

Section 4: First-aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed

- Risks : Harmful if swallowed.
Causes skin irritation.
Causes serious eye damage.
- Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.
- Notes to physician : Treat symptomatically.

Section 5: Fire-fighting measures

SAFETY DATA SHEET

Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

- Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Metal oxides
Nitrogen oxides (NO_x)
Sulphur oxides
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Hazchem Code : 1W
-

Section 6: Accidental release measures

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Remove all sources of ignition.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).
Keep in suitable, closed containers for disposal.
-

Section 7: Handling and storage

- Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust
-

Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

- is formed.
Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Open drum carefully as content may be under pressure.
Dispose of rinse water in accordance with local and national regulations.
Protect from moisture.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Protect from moisture.
Keep away from:
Combustible substances
Never allow product to get in contact with water during storage
- Store in cool place.
Keep in a well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Recommended storage temperature : < 25 °C

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

- Engineering measures** : If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protective equipment

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

SAFETY DATA SHEET

Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

Filter type : Recommended Filter type:
P1 filter

Hand protection
Material : Nitrile rubber - NBR
Wearing time : < 60 min

Material : Polychloroprene - CR
Wearing time : < 60 min

Material : Fluorinated rubber - FKM
Wearing time : < 60 min

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations

Eye protection : Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Wear suitable protective clothing.
Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Section 9: Physical and chemical properties

Appearance : powder

Physical state : solid

Colour : light cream

Odour : characteristic

Odour Threshold : No data available

pH : 7.9
Concentration: 0.162 %

Melting point/range : No data available

SAFETY DATA SHEET

Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Self-ignition	:	No data available
Burning number	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	0.89 g/cm ³ (20 °C)
Solubility(ies)		
Water solubility	:	30 g/l
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	The product is a self-reactive substance or mixture classified as type E.
Self-Accelerating decomposition temperature (SADT)	:	60 °C
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Minimum explosible dust concentration	:	In the case of dusty organic products the possibility of a dust explosion should always be considered.

Section 10: Stability and reactivity

SAFETY DATA SHEET

Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Hazardous reactions or instability may occur under certain conditions of storage or use. Conditions may include the following: temperature increase high temperature Reactions may include the following: hazardous decomposition risk of causing fire Dust may form explosive mixture in air., Contact with water liberates hydrogen peroxide and peracetic acid., Self-accelerating decomposition may occur at elevated temperatures. No decomposition if stored and applied as directed.
Conditions to avoid	:	Heat, flames and sparks. Exposure to moisture
Incompatible materials	:	Strong acids and strong bases Powdered metal salts Reducing agents
Hazardous decomposition products	:	Nitrogen oxides (NO _x) Sulphur oxides Carbon oxides Other decomposition products hydrogen peroxide peracetic acid acetic acid Oxygen

Section 11: Toxicological information

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	:	LD ₀ (Rat): 500 mg/kg Method: OECD Test Guideline 420 Acute toxicity estimate: 1,899 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h

SAFETY DATA SHEET



Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

Test atmosphere: dust/mist
Method: Calculation method

Components:

disodium carbonate, compound with hydrogen peroxide (2:3):

Acute oral toxicity : LD50 (Rat, female): 893 mg/kg
GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
GLP: yes
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

citric acid:

Acute oral toxicity : LD50 (Mouse, male and female): 5,400 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Dosage caused no mortality

sodium carbonate:

Acute oral toxicity : LD50 (Rat, male and female): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2300 mg/m³
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: EPA 16 CFR 1500.40
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Causes skin irritation.

Components:

disodium carbonate, compound with hydrogen peroxide (2:3):

Species : Rabbit
Result : No skin irritation

Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

citric acid:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

sodium carbonate:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

disodium carbonate, compound with hydrogen peroxide (2:3):

Species : Rabbit
Result : Risk of serious damage to eyes.

citric acid:

Species : Rabbit
Result : Irritating to eyes.
Method : OECD Test Guideline 405
GLP : yes

sodium carbonate:

Species : Rabbit
Result : Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

disodium carbonate, compound with hydrogen peroxide (2:3):

Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.
GLP : yes

SAFETY DATA SHEET



Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

Result: No effects on fertility and early embryonic development were detected.

Test Type: reproductive and developmental toxicity study
Species: Mouse, male and female
Application Route: Oral
Dose: 5% in futter
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Pre-natal
Species: Rat, female
Application Route: Oral
Dose: 2,95-13,7-63,6-295 mg/kg bw
General Toxicity Maternal: NOAEL: \geq 295 mg/kg body weight
Teratogenicity: NOAEL: \geq 295 mg/kg body weight
Result: negative

Test Type: Pre-natal
Species: Rabbit, female
Application Route: Oral
Dose: 4,25-19,75-91,70-425 mg/kg bw
General Toxicity Maternal: NOAEL: \geq 425 mg/kg body weight
Teratogenicity: NOAEL: \geq 425 mg/kg body weight
Result: negative

sodium carbonate:

Effects on foetal development : Species: Rat
Application Route: Oral
Dose: 2,45 - 11,4 - 52,9 - 245 milligram per kilogram
Duration of Single Treatment: 10 d
General Toxicity Maternal: NOAEL: \geq 245 mg/kg body weight
Teratogenicity: NOAEL: \geq 245 mg/kg body weight

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

citric acid:

Species : Rat
NOAEL : 4,000 mg/kg
LOAEL : 8,000 mg/kg
Application Route : Oral
Exposure time : 10 d

SAFETY DATA SHEET

Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

Number of exposures : daily
Dose : 2 - 4 - 8 - 16 g/kg

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

Section 12: Ecological information

Ecotoxicity

Components:

disodium carbonate, compound with hydrogen peroxide (2:3):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70.7 mg/l
Exposure time: 96 h
GLP: no
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 4.9 mg/l
Exposure time: 48 h
GLP: no
Remarks: Fresh water

citric acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,516 mg/l
Exposure time: 96 h
Analytical monitoring: No information available.
Method: OECD Test Guideline 203
GLP: No information available.
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l
Exposure time: 24 h
Remarks: Fresh water

Toxicity to algae/aquatic plants : NOEC (Scenedesmus quadricauda (Green algae)): 425 mg/l
Exposure time: 8 d
Remarks: Fresh water

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 10,000 mg/l
Exposure time: 16 h
Remarks: Fresh water

SAFETY DATA SHEET

Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l
Exposure time: 96 h
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (Water flea)): 220 - 227 mg/l
Exposure time: 48 h
Remarks: Fresh water

Persistence and degradability

Components:

disodium carbonate, compound with hydrogen peroxide (2:3):

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

citric acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

sodium carbonate:

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

Components:

citric acid:

Bioaccumulation : Bioconcentration factor (BCF): 3.2
Method: calculated
Remarks: Accumulation in aquatic organisms is unlikely.

Partition coefficient: n-octanol/water : log Pow: -1.64
Method: measured

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.

SAFETY DATA SHEET

Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

Section 13: Disposal considerations

Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
-

Section 14: Transport information

International Regulations

IATA-DGR

- UN/ID No. : UN 3228
Proper shipping name : Self-reactive solid type E
(SODIUM PERCARBONATE)
Class : 4.1
Packing group : Not assigned by regulation
Labels : 4.1
:



- Packing instruction (cargo aircraft) : 459 : 25.00 KG
Packing instruction (passenger aircraft) : 459 : 10.00 KG

Hazard and Handling Notes.

Department for Transport CAA 019279

IMDG-Code

- UN number : UN 3228
Proper shipping name : SELF-REACTIVE SOLID TYPE E
(SODIUM PERCARBONATE)
Class : 4.1
Packing group : Not assigned by regulation
Labels : 4.1

SAFETY DATA SHEET

Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N



EmS Code : F-J, S-G
Marine pollutant : no

Hazard and Handling Notes.

Department for Transport CAA 019279

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : UN 3228
Proper shipping name : SELF-REACTIVE SOLID TYPE E
(SODIUM PERCARBONATE)
Class : 4.1
Packing group : Not assigned by regulation
Labels : 4.1
:



Hazchem Code : 1W

Hazard and Handling Notes.

Combustible., Keep dry., Risk of serious damage to eyes., Stow at a cool place, susceptible to heat., Keep separated from foodstuffs.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable
Schedules of Toxic Chemicals and Precursors

SAFETY DATA SHEET



Rely+On PeraSafe

Version 1.0 Revision Date: 14.03.2022 SDS Number: 203000013799 Date of last issue: -
Country / Language: NZ / 6N

HSNO Approval Number

not allocated

Section 16: Other information


Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

SAFETY DATA SHEET



Rely+On PeraSafe

Version
1.0

Revision Date:
14.03.2022

SDS Number:
203000013799

Date of last issue: -
Country / Language: NZ / 6N
